







































Top 5 Causes of Death by Age Group in Developed and Developing Countries, 2013

DEVELOPED COUNTRIES

RANK	AGE <1 y	AGE 1-4 y	AGE 5-9 y	AGE 10-19 y
1	Congenital anomalies	Congenital anomalies	Road injuries	Road injuries
2	Preterm birth complications	Road injuries	Drowning	Self-harm
3	Other neonatal disorders	Drowning	Congenital anomalies	Interpersonal violence
4	Neonatal encephalopathy	LRI	Brain cancer	Drowning
5	Sudden infant death syndrome	Fire and heat	Leukemia	Other neoplasms

DEVELOPING COUNTRIES

RANK	AGE <1 y	AGE 1-4 y	AGE 5-9 y	AGE 10-19 y
1	Preterm birth complications	Malaria	Diarrhea	Road injuries
2	LRI	LRI	LRI	HIV/AIDS
3	Neonatal encephalopathy	Diarrhea	Intestinal infectious diseases	Self-harm
4	Congenital anomalies	Protein-energy malnutrition	Malaria	Drowning
5	Neonatal sepsis	Drowning	Road injuries	Intestinal infectious diseases

LRI=lower respiratory tract infections | IHME









SAFE, ACCESSIBLE, LOW CARBON MOBILITY





A SAFE AND HEALTHY JOURNEY TO SCHOOL



















































DECLARATION OF EVERY CHILD'S RIGHT TO SAFE & HEALTHY STREETS

#EVERYLIFE








FOUNDATION





















































4 lane undivided

2 lanes undivided

4 lane undivided



SCALING-UP, GLOBAL IMPACT

City and national scale-up



Regional expansion, global results

Coalition delivers pilot



































- 26% injury reduction
- \$20-\$30,0000 infrastructure


- 100's-1000's schools
- City/country wide injury reduction

- 8-10 countries first year
- **Expansion to meet SDG agenda**













Costa











